




| DESIGN TABLE | | | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------------------------|-------------------|-------------------------------|----------------------|--------------------|--------------------|---------------------|--------------------|---------------------|--------------------|---------------------|--------------------|---------------------|--------------------|---------------------|
| | | | Ⓐ | Ⓑ | Ⓒ | Ⓓ | Ⓔ | Ⓕ | Ⓖ | Ⓗ | Ⓘ | Ⓜ | Ⓚ | Ⓛ | Ⓜ | Ⓝ |
| EMBANKMENT ID # | EMBANKMENT DESIGN ELEVATION (FEET) | FENCE LAYOUT TYPE (A, B, OR C) | FENCE SLOPE (X:1) | TOP OF FENCE ELEVATION (FEET) | START STATION (FEET) | END STATION (FEET) | FENCE WIDTH (FEET) | FENCE LENGTH (FEET) | FENCE WIDTH (FEET) | FENCE LENGTH (FEET) | FENCE WIDTH (FEET) | FENCE LENGTH (FEET) | FENCE WIDTH (FEET) | FENCE LENGTH (FEET) | FENCE WIDTH (FEET) | FENCE LENGTH (FEET) |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |




X-SECTION OF EMBANKMENT WITH RODENT PROTECTION
NOT TO SCALE




TOP OF FENCE LOCATION
NOT TO SCALE



TYPE B



TYPE C



FENCE LAYOUTS FOR RODENT PROTECTION
NOT TO SCALE

CONSTRUCTION REQUIREMENTS

RODENT PROTECTION:

- RODENT FENCE SHALL BE ADEQUATELY SECURED WITH ANCHORS AT THE TOP EDGE (APPROXIMATELY 6" DOWN FROM FENCE TOP ELEVATION) AND ALONG ALL OVERLAPS TO HOLD FENCE IN PLACE PRIOR TO AND DURING BACKFILLING AND TOPSOILING.
- ANCHORS SHALL BE PLACED 4 FOOT ON CENTER (UNLESS OTHERWISE DIRECTED) ALONG LENGTH OF FENCE MATERIAL AND 1 FOOT ON CENTER VERTICALLY ALONG ANY FENCE OVERLAPS.
- ALL FENCE OVERLAPS SHALL BE 1 FOOT.

MATERIAL:

- **9 GAUGE** GALVANIZED "CHAIN LINK" FENCE MATERIAL WITH A MAXIMUM OPENING SIZE OF **1-1/4" INCH SQUARE**. SEE SPECIFICATION FOR ADDITIONAL REQUIREMENTS.
- ANCHORS SHALL BE "U" SHAPED WITH A MINIMUM LENGTH OF 8".

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

PRINT NAME :

SIGNATURE :

LICENSE # :

DATE :

WETLAND RESTORATION PLAN

RODENT PROTECTION DETAIL SHEET

APPROVED BY: _____ DATE : _____

PROJECT # : _____

COUNTY : _____

PLAN SHEET OF _____

STANDARD SHEET # BWSR-103A